

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

1. Identification

1.1. Product identifier

Product Identity STEELSKIN – ALL COLOURS
Alternate Names Product Name: W/B Acrylic coating
Generic Class: Water Based Acrylic

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name SWT Group
1591 Kildare Road
Windsor, ON, N8W 2W2
Canada

Emergency

Customer Service: SWT Group (519) 967-0020
(9:00am – 5:00 pm EST)

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Physical Hazards: Not Classified
Health Hazards: Not Classified
Environmental Hazards: Not Classified
OSHA defined Hazards: Not Classified

2.2 Label elements

Hazard label: None.
Signal word: None.
Hazard Statement: The Mixture does not meet the criteria for classification.

[Prevention]:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and or smoking.

[Response]:

Wash Hands after Handling.

[Storage]:

Store away from incompatible materials.

[Disposal]:

Dispose of waste and residues in accordance with local authority requirements.

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

3. Composition/information on ingredients

This product contains no substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Move the victim to fresh air. If breathing is difficult give oxygen. If breathing has stopped give artificial respiration. Seek immediate medical attention.
Eyes	Irrigate copiously with clean lukewarm water for at least 15 minutes, holding the eyelids apart and seek medical attention. Remove contact lenses if present and easy to do.
Skin	Remove the paint residue using industrial grade hand cleaner. Wash the skin with plenty of warm water and mild non-abrasive soap for at least 15 minutes. Remove contaminated clothes, wash clothing before reuse. If the irritation persists repeat the washing procedure. Seek medical attention.
Ingestion	Do not induce vomiting! Keep the victim warm and quiet. Seek immediate medical attention. Should vomiting occur, lean the victim over to reduce the risk of aspiration.

4.2. Most important symptoms and effects, both acute and delayed

Overview	<p>EFFECTS OF OVER EXPOSURE</p> <p>INHALATION: Excessive exposure to vapors may be irritating to the nose, throat, upper respiratory tract and lungs. Excessive exposure can result in headaches, dizziness, nausea, and narcotic effects; it can be defined as inadequate ventilation for extended periods of time.</p> <p>EYE CONTACT: Splash of the liquid or concentrated vapors may cause severe eye irritation. Severe injuries may result of repeated or prolonged contact. Injuries to the eye may be permanent if not treated immediately.</p> <p>SKIN CONTACT: May be irritating to the skin, causing defatting, redness, cracking and dryness. Toxic amounts of product may be absorbed through the skin.</p> <p>INGESTION: If swallowed, this product may cause vomiting, nausea and diarrhea and may be harmful if swallowed in very large amounts.</p> <p>CHRONIC EXPOSURE EFFECTS: Prolonged skin contact may cause dermatitis.</p> <p>See section 2 for further details.</p>
-----------------	--

5. Fire-fighting measures

5.1. Extinguishing media

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

Recommended extinguishing media; alcohol resistant foam, CO₂, dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Oxides of carbon

5.3. Advice for fire-fighters

Wear self-contained breathing apparatus and complete protective clothing (overalls, boots, goggles, etc.) and safety equipment. Evacuate area and fight fire from a safe distance.

Material will not burn until all water has been evaporated off. May boil vigorously or spatter if temperature exceeds boiling point. Dry polymer films are capable of burning.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of Carbon and other toxic gases.

EXPLOSION DATA:

- SENSITIVITY TO MECHANICAL IMPACT: Not Sensitive
- SENSITIVITY TO STATIC CHARGE: Sensitive

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Remove any sources of ignition and avoid prolonged breathing of vapor when performing any clean up of spills. Ventilate the area.

Absorb the spill by using an inert material (sand, earth, vermiculate, etc.). Transfer the absorbed material into a waste container.

Use water to clean up affected area.

Prevent the product or any wash waters from entering the water systems or sewers. Wear a NIOSH/OSHA approved organic vapor canister respirator. Wear protective clothing such as safety eyewear, overalls, impervious boots, and chemical resistant gloves.

7. Handling and storage

7.1. Precautions for safe handling

Always ground containers when transferring or mixing.

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: Can react violently with strong oxidizing agents, alkalis and acids.

Storage above 55°C or 122°F may affect product quality. KEEP FROM FREEZING

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
Proprietary	Proprietary	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Carcinogen Data

CAS No.	Ingredient	Source	Value
Proprietary	Proprietary	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators. P100 cartridges recommended.

Eyes

Protective safety glasses recommended

Skin

Skin contact should be minimized through the use of chemical-resistant gloves and boots, and suitable protective clothing. Ensure that the breakthrough time of the glove material is not exceeded.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

9. Physical and chemical properties

Appearance

Liquid

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

Odor	Ether like Odor
Odor threshold	Not determined
pH	8.0 – 8.5 @ 77°F
Freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash Point	Not Applicable
Evaporation rate (Ether = 1)	Slower than n-BuAc
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Not Available
Vapor Density	Not Available
Specific Gravity	1.014 g/ml typical @ 25°C
Solubility in Water	Soluble
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Applicable
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
VOC Content	<100 g/L
Percent Solids (by weight)	35% typical
Percent Solids (by volume)	33% typical
9.2. Other information	
No other relevant information.	

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Sparks and open flames, high heat, direct sunlight. KEEP FROM FREEZING!

10.5. Incompatible materials

Can react violently with strong oxidizing agents, alkalies and acids.

10.6. Hazardous decomposition products

Oxides of carbon

11. Toxicological information

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Proprietary	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

No Data available on the preparation itself.

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): Yes

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Safety Data Sheet

STEELSKIN – ALL COLOURS

SDS Revision Date: 02/21/2023

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Pennsylvania RTK Substances (>1%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The SWT Group has no control over the information provided herein, which is based on supplier and raw material supplier data. No warranty from The SWT Group is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The SWT Group assumes no responsibility for the personal injury or property damage of whatever nature caused directly or indirectly by the information contained herein, or by any improper use or abuse of the product.

End of Document